

CAPESTONE

COMPANY BROCHURE



AESTHETIC APPEAL,
LONG-LASTING PERFORMANCE

WHO WE ARE

At CAPESTONE, our difference lies in the combination of personalised service, exceptional craftsmanship, and truly distinctive products. We are committed to building long-term client relationships, offering hands-on support and trusted service to both the public and the building industry.

CAPESTONE manufactures distinctive hand-cast paving and tiling products for both exterior and interior applications. Designed to reflect the natural variation found in stone, our products offer character, texture, and an authentic finish suited to a wide range of spaces.

What truly sets us apart is our signature Nacre Polished Concrete and Exposed Aggregate ranges — premium handcrafted surfaces that combine durability with design appeal.

As the only manufacturer of our premium Nacre Polished Concrete range, CAPESTONE offers a truly unique product. Available as tiles and pavers, this range features recycled crushed abalone shell sourced from a local commercial abalone farm and is carefully hand polished to reveal its natural colour and luminosity. For a more understated finish, the same polished concrete aesthetic is also available without the nacre shell. The result is a rare and refined architectural finish that cannot be replicated by mass production.

We supply a versatile range of paving, tiling, polished concrete, and finish solutions for residential and commercial projects, including walkways, pool surrounds, patios, driveways, and architectural detailing.

Our premium ranges are developed and produced locally, combining aesthetic appeal with long-lasting performance.

Our products are locally developed and handcrafted in Hermanus, with every piece made using stringent quality and manufacturing processes to ensure a premium finish.

"I have been using CAPESTONE's tiling products for years and have never been disappointed. The team is always very knowledgeable and helpful in guiding me through the selection process. The quality of their products is unmatched and I have always received them on time. I have recommended CAPESTONE to many of my friends and colleagues who have also been extremely satisfied with their products and services."

JOANNA

QUALITY & MANUFACTURING PROCESS

CAPESTONE products are manufactured using high-grade raw materials, including carefully selected aggregates, sand, and PPC cement, ensuring consistent quality, structural integrity, and long-term durability across paving and tiling applications.

Each piece is hand-cast, allowing for controlled production and the creation of a natural stone-like finish, with inherent variations in colour and texture that reflect authentic material characteristics.

Colour is achieved through the full integration of premium imported iron oxides into the concrete mix, rather than as a surface application, ensuring through-body consistency, enhanced wear resistance, and reduced surface degradation over time.

Products are intentionally designed to simulate natural stone, resulting in slight dimensional tolerances and tonal variation—features that are integral to the manufacturing process and contribute to the overall architectural authenticity of the finished surface.

Controlled Production & Finishing

CAPESTONE uses a controlled, multi-stage concrete manufacturing process to produce durable, structurally consistent products with refined architectural finishes.

- Manufactured using established concrete production methods: batching, mixing, moulding, curing, and finishing
- Strict process controls ensure consistent strength, density, and durability across all products
- Uniform structural performance is maintained across production batches
- Nacre polished concrete includes crushed abalone shell integrated into the concrete mix
- Surfaces are mechanically ground and hand polished using progressively finer abrasives
- The polishing process exposes aggregate and shell inclusions for a distinctive finish
- Final surfaces are dense, smooth, hard-wearing, and abrasion resistant
- Nacre finishes reveal the natural luminosity and character of the abalone shell

Material Behaviour & Lifecycle

As with all cement-based products CAPESTONE products may exhibit natural curing characteristics, including slight tonal changes, moisture variation, or surface efflorescence. These are normal and temporary phenomena, inherent to concrete products, and do not affect structural performance.

Through the combination of quality raw materials, controlled manufacturing, and rigorous testing, CAPESTONE products deliver reliable, durable, and architecturally consistent solutions for a wide range of built environments.

Performance Testing & Quality Assurance

CAPESTONE products are subject to ongoing quality control and independent testing through PPC Cement laboratories, ensuring compliance with industry performance standards.

Concrete testing methodologies include evaluation of key properties such as:

- Compressive strength (structural capacity)
- Durability and permeability (resistance to weathering and moisture ingress)
- Density and consistency (uniformity of mix)
- Abrasion and wear resistance (performance in traffic areas)

These tests are conducted using industry-standard procedures and equipment, providing verified performance data and ensuring suitability for both residential and commercial applications.



PRODUCT STRENGTH

7 Day and 28 Day Strength Tests refer to standard measurements of a concrete product's compressive strength over time, expressed in megapascals (MPa).

In simple terms, these values confirm that the product continues to strengthen over time, reaching a high, reliable level of durability required for paving, structural, and architectural use.

7 DAY STRENGTH

33-35MPa

7 Day Strength (33–35 MPa) indicates the early-stage strength the concrete achieves within the first week after casting, showing how quickly it gains structural capacity.

28 DAY STRENGTH

38 - 43MPa

28 Day Strength (38–43 MPa) represents the concrete's full design strength, reached after proper curing, and is the industry benchmark used to assess long-term performance and suitability for load-bearing applications.



View our latest Cube Test Report

CLICK HERE

PREMIUM SURFACE FINISHES


NACRE POLISHED CONCRETE

Coastal elegance, underfoot.


Our CAPESTONE premium Nacre Polished Concrete range is defined by the integration of crushed abalone shell within a refined concrete matrix, enhanced through a multi-stage hand polishing process by our team to reveal its distinctive depth, texture, and natural luminescence.

Each finish combines a selected stone base with carefully balanced pigments, resulting in a premium surface that offers both visual richness and technical durability for architectural and landscape applications. For a more understated finish, the same polished concrete aesthetic is also available without the nacre shell.


Available in Off Shutter Wall Cladding, Pavers, Tiles, Pool Copings, and Tile Copings sizes. Note that we do recommend sealing. We also provide non-slip additive for the sealer application. Sealers and Non-Slip Additives available in store.




White with Grey Stone




White with Black Stone



Sandstone with Black Stone




Sandstone with Grey Stone



Charcoal with Black Stone



Charcoal with Grey Stone



Grey with Black Stone



Grey with Grey Stone

EXPOSED AGGREGATE

CAPESTONE non-slip aggregate finish is achieved by removing the outer cement layer during production, revealing the embedded non-slip texture to create a slip resistant surface ideally suited to high use areas. Each unit is hand-cast and produced with through-body pigmentation, ensuring long-term colour stability and resistance to weathering.



Grey with Black Stone




Grey with Mix Stone



Grey with Grey Stone



Grey with Brown Stone



Charcoal with Black Stone

SURFACE FINISHES

STANDARD COLOURS

CAPESTONE's standard colour range is developed using premium iron oxide pigments fully integrated into the concrete mix, ensuring consistent, through-body colour that maintains its integrity over time. Subtle tonal variation is inherent to the material, replicating the natural character of stone and providing architects and designers with a refined, authentic finish across applications.


Charcoal


White


Terracotta


Granite


Sandstone


Grotto Beach


Natural Grey Stone


White Charcoal


White Sandstone


Oatmeal


Black

TEXTURES

SLATE

A timeless stone-look finish, CAPESTONE's Slate is achieved by reproducing the layered texture of natural slate in concrete. The result is a softly textured surface with natural character, reliable grip, and versatile appeal across both residential and commercial spaces.




FLAMED GRANITE


A clean, contemporary texture, CAPESTONE Flamed Granite has a refined exfoliated texture that delivers both visual sophistication and practical grip. Ideal for modern spaces, it combines the look of natural stone with durability and everyday performance.



FRENCH

French refers to a classic modular paving style that uses varied sizes to create a timeless, elegant layout with natural movement and visual interest. In CAPESTONE's French range, it appears to work together with a slate-like surface texture for a refined traditional finish.








OUR PRODUCT RANGE





NACRE POLISHED CONCRETE


COASTAL ELEGANCE, UNDERFOOT

CAPESTONE is proud to offer a truly distinctive premium polished concrete range: Nacre, our signature abalone shell-infused surface finish, developed and manufactured locally in Hermanus, South Africa. As the only manufacturer of this premium nacre polished concrete range, we create products that bring together refined craftsmanship, technical durability, and exceptional visual character.

Crafted using recycled crushed abalone shell sourced from a local Hermanus based commercial abalone farm, each Nacre product is carefully integrated into a refined concrete matrix and meticulously hand polished through a multi-stage process by our team. This reveals the shell's natural colour, depth, texture, and luminescence, creating a one-of-a-kind finish with remarkable material integrity and architectural appeal.


Each piece is produced using a selected stone base and carefully balanced pigments, resulting in a premium concrete surface that offers both visual richness and long-lasting performance. Suitable for a wide range of architectural and landscape applications, CAPESTONE's Premium Nacre Polished Concrete products are supplied directly to both the public and the building industry. For those seeking the same refined concrete aesthetic in a more understated finish, this range is also available without nacre shell.

Pavers



225x225x40mm
225x450x40mm
450x450x40mm
900x450x40mm
1200x600x60mm

Tiles




450x450x20mm
910x450x20mm

Subway Tile
225x100x20mm

Offshutter Wall Cladding and Floor Tile
1200x600x20mm


Pool copings | Single



330x225x40mm
450x450x40mm
900x450x40mm

Pool Copings | Double Bullnose





450x450x40mm
450x450x60mm


Pool Copings | Corner





330x450x40mm
900x450x40mm

Tile copings | Single



450x450x20mm
910x450x20mm

PREMIUM
PRODUCT

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Nacre Finish	Available in all the Nacre polished concrete products
Nacre Colours	1.White with Grey Stone 2.White with Black Stone 3.Sandstone with Grey Stone 4.Sandstone with Black Stone 5.Charcoal with Grey Stone 6.Charcoal with Black Stone 7.Grey with Grey Stone 8.Grey with Black Stone



PROJECTS FEATURING CAPESTONE NACRE POLISHED CONCRETE

To view more project installations where our Nacre polished concrete has been used, visit our website by clicking on the button.

CLICK HERE



EXPOSED AGGREGATE

CAPESTONE exposed aggregate pavers are manufactured using selected aggregates, sand, and PPC cement, delivering a robust paving solution with enhanced surface performance. The exposed finish is achieved by removing the outer cement layer during production, revealing the embedded stone to create a textured, slip-resistant surface ideally suited to high-use areas. Each unit is hand-cast and produced with through-body pigmentation, ensuring long-term colour stability and resistance to weathering. The combination of tested compressive strength, abrasion resistance, and surface grip makes these pavers particularly well-suited for driveways, walkways, patios, and pool surrounds, offering a balance of durability, safety, and a natural stone aesthetic for both residential and commercial applications.

Pavers



200x200x50mm

This size can be used for Vehicle



225x225x40mm



450x225x40mm



450x450x40mm

PREMIUM
PRODUCT

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE


Exposed Aggregate Finish	Available in all the Exposed Aggregate products
Exposed Aggregate Colours	1.Grey with Black Stone 2.Grey with Mix Stone 3.Grey with Grey Stone 4.Grey with Brown Stone 5.Charcoal with Black Stone



PROJECTS FEATURING CAPESTONE EXPOSED AGGREGATE

To view more project installations where our Exposed Aggregate products have been used, visit our website by clicking on the button.

CLICK HERE




COBBLESTONE PAVING

CAPESTONE concrete cobblestone paving units are precision-manufactured using high-quality aggregates, sand, and PPC cement, delivering a durable, load-bearing solution for both residential and commercial hardscaping. Designed to replicate the character of traditional stone cobbles, each unit is hand-cast to achieve a natural, textured finish while maintaining consistent sizing for efficient installation.

Colour is achieved through through-body pigmentation using premium iron oxides, ensuring long-lasting colour performance even in high-traffic and exposed environments. The control-led manufacturing process, combined with proven compressive strength and durability, makes CAPESTONE cobblestone paving ideally suited for driveways, pathways, courtyards, and public landscape applications, offering a balance of aesthetic authen-ticity, structural reliability, and low maintenance.

FG Econo Cobble



120x120x40mm

French Cobble



100x100x50mm



140x200x50mm

Royal Cobble



150x200x50mm

Klompie Cobble



225x65x50mm

Riven Cobble



200x200x50mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE



Standard Colours	
	1.Charcoal
	2.White
	3.Terracotta
	4.Granite
	5.Sandstone
	6.Grotto Beach
	7.Natural Grey Stone
	8.White Charcoal
	9.White Sandstone
	10.Oatmeal
	11.Black

PROJECTS FEATURING CAPESTONE COBBLESTONE PAVING

To view more project installations where our Cobblestone paving has been used, visit our website by clicking on the button.

CLICK HERE




PAVERS


CAPESTONE concrete pavers are engineered as a durable, high-performance paving solution for a wide range of outdoor applications, combining structural reliability with refined architectural finishes. Manufactured from high-quality aggregates and PPC cement, and available in thicknesses of 40–55mm, these pavers are designed to withstand heavy foot traffic, making them suitable for both residential and commercial environments.

Each unit is hand-cast and produced with through-body iron oxide pigmentation, ensuring consistent colour performance and resistance to wear and weathering over time. The controlled manufacturing process delivers reliable strength and dimensional consistency, while allowing for subtle tonal variation that enhances the natural stone aesthetic. CAPESTONE pavers provide a low-maintenance, long-lasting solution for pathways, driveways, patios, and landscaped areas where both technical performance and visual quality are essential.

Flamed Granite Paver




225x225x40mm




450x225x40mm



450x450x40mm




900x450x40mm




1200x600x55mm

French Paver



600x400x40mm



1000x500x55mm

Econo Paver



450x450x40mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Nacre Polished Concrete Finish	Nacre Pavers 225x225x40mm 450x225x40mm 450x450x40mm 900x450x40mm 1200x600x55mm
Standard Colours	1.Charcoal 2.White 3.Terracotta 4.Granite 5.Sandstone 6.Grotto Beach 7.Natural Grey Stone 8.White Charcoal 9.White Sandstone 10.Oatmeal 11.Black
Textures	1.Slate 2.Flamed Granite 3.French



PROJECTS FEATURING CAPESTONE PAVERS

To view more project installations where our Pavers have been used, visit our website by clicking on the button.

CLICK HERE



TILES

CAPESTONE concrete tiles provide a refined, high-performance surface solution for both interior and exterior applications, combining structural durability with clean, contemporary design. Manufactured from high-quality aggregates and PPC cement, each tile is hand-cast to ensure consistent quality while allowing for subtle variation that reflects a natural stone aesthetic.


With through-body colour pigmentation using premium iron oxides, CAPESTONE tiles maintain their finish over time, even in high-use environments. Their versatility in format, texture, and finish makes them suitable for flooring, walling, and integrated landscape design, offering architects and designers a durable, low-maintenance material that supports both modern architectural expression and long-term performance.

Flamed Granite Subway Tile



225x100x15mm

Flamed Granite Tile




450x450x20mm



910x450x20mm

Smooth Finish Tile



1200x600x20mm

French Tile




600x400x20mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Nacre Polished Concrete Finish	Nacre Subway Tile 225x100x15mm Nacre Tile 450x450x20mm 910x450x20mm 1200x600x20mm
Standard Colours	1.Charcoal 2.White 3.Terracotta 4.Granite 5.Sandstone 6.Grotto Beach 7.Natural Grey Stone 8.White Charcoal 9.White Sandstone 10.Oatmeal 11.Black
Textures	1.Flamed Granite 2.French



PROJECTS FEATURING CAPESTONE TILES

To view more project installations where our Tiles have been used, visit our website by clicking on the button.

CLICK HERE




POOL COPINGS

CAPESTONE pool coping solutions are engineered to provide a durable, functional, and visually refined finish to pool edges and stepped transitions. Manufactured from high-quality aggregates and PPC cement, each unit is hand-cast to ensure consistent quality, strength, and dimensional accuracy, while delivering a smooth, comfortable edge that enhances user safety and protects the structural integrity of the pool surround.

Designed for long-term outdoor performance, CAPESTONE pool coping incorporates through-body pigmentation using premium iron oxides, ensuring resistance to fading, weathering, and wear. Available in a range of profiles, textures, and finishes, these elements integrate seamlessly with surrounding paving and tiling systems—offering architects, landscapers, and contractors a cohesive, low-maintenance solution that supports both technical performance and clean architectural detailing.

Flamed Granite Single





225x330x40mm





450x450x40mm





900x450x40mm

Flamed Granite Double





450x450x40mm
450x450x60mm

Flamed Granite Corner





330x450x40mm
900x450x40mm

Flamed Granite Internal






450x450x40mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE


Nacre Polished Concrete Finish	Single: 225x330x40mm 900x450x40mm 450x450x40mm Double: 450x450x40mm 450x450x60mm Corner: 330x450x40mm 900x450x40mm Internal: 450x450x40mm
Standard Colours	1.Charcoal 2.White 3.Terracotta 4.Granite 5.Sandstone 6.Grotto Beach 7.Natural Grey Stone 8.White Charcoal 9.White Sandstone 10.Oatmeal 11.Black
Textures	1.Flamed Granite



PROJECTS FEATURING CAPESTONE POOL COPINGS

To view more project installations where our Pool Copings have been used, visit our website by clicking on the button.

CLICK HERE



TILE COPINGS

CAPESTONE tile copings are designed to deliver both a refined finish and practical performance. CAPESTONE's Flamed Granite Tile Copings are expertly caste to complement the flamed granite tile range, providing a neat, durable edge detail with the same refined stone-inspired appearance as the adjoining tiles. The flame granite surface creates a subtle modern exfoliated texture that enhances the natural look of the product while adding to its suitability for interior and exterior applications.

Tile copings are the finishing pieces used to neatly cap and protect the exposed edges of tiled or paved surfaces, particularly around pool areas, steps, and raised edges. They create a clean visual transition while also helping to protect the underlying structure from water ingress, edge wear, and damage over time. For projects requiring a more distinctive premium finish, CAPESTONE also offers Nacre Polished Concrete Tile Coping, which incorporates abalone shell-infused polished concrete to create a luxurious and highly unique edge detail for indoor or outdoor pool areas. This option combines decorative appeal with the structural role of coping, making it both a design feature and a functional finishing element.

Flamed Granite Tile Coping





450x450x20mm

Flamed Granite Tile Coping





910x450x20mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Nacre Polished Concrete Finish	Available in all our Tile Coping products. 450x450x20mm 910x450x20mm
Standard Colours	1.Charcoal 2.White 3.Terracotta 4.Granite 5.Sandstone 6.Grotto Beach 7.Natural Grey Stone 8.White Charcoal 9.White Sandstone 10.Oatmeal 11.Black
Textures	1.Flamed Granite



PROJECTS FEATURING CAPESTONE TILE COPINGS

To view more project installations where our Tile Copings have been used, visit our website by clicking on the button.

CLICK HERE



WALL CLADDING

CAPESTONE concrete wall cladding is designed to deliver the textured, dimensional appeal of natural stone with the strength and consistency of engineered concrete. Manufactured using high-quality aggregates and PPC cement, each unit is hand-cast to achieve a detailed surface finish while maintaining reliable dimensional accuracy for efficient installation.


The cladding incorporates through-body pigmentation with premium iron oxides, ensuring long-term colour stability and resistance to weathering in both interior and exterior applications. Designed for a seamless, dry-stack appearance without visible mortar joints, CAPESTONE cladding provides a durable, low-maintenance solution that enhances vertical surfaces with depth, character, and architectural definition.

Off Shutter Cladding



1200x600x20mm

Smooth Tile



1200x600x20mm

Riven Cladding | White



400x30mm

Riven Cladding | Grey



400x30mm

Dry Stack | 28 pcs



White



Grey

Square | 20pcs



White




Grey

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Nacre Polished Concrete Finish	Available only in the Off Shutter Wall Cladding 1200x600x20mm Off Shutter Smooth Tile 1200x600x20mm
Standard Colours	1.Charcoal 2.White 3.Terracotta 4.Granite 5.Sandstone 6.Grotto Beach 7.Natural Grey Stone 8.White Charcoal 9.White Sandstone 10.Oatmeal 11.Black
Textures	1.Flamed Granite



PROJECTS FEATURING CAPESTONE WALL CLADDING

To view more project installations where our Wall Claddings have been used, visit our website by clicking on the button.

CLICK HERE



LANDSCAPING


CAPESTONE landscaping products are designed to provide durable, functional, and visually cohesive solutions for a wide range of outdoor environments. Manufactured in Hermanus using high-quality aggregates and PPC cement, each product is hand-cast to ensure consistent strength, finish quality, and long-term performance in exposed conditions.

The range supports both structural and aesthetic requirements across residential and commercial landscapes, with through-body colour pigmentation ensuring resistance to wear and environmental factors. Backed by a reliable distribution network servicing Hermanus, the Overstrand, and the Western Cape, CAPESTONE offers architects, landscapers, and contractors a dependable supply of low-maintenance, specification-ready products suited to diverse landscape applications.

Valentia Circle







Circle 1 - 540 mm (need 4)
Circle 2 - 1140 mm (need 12)
Circle 3 - 1740 mm (need 20)
Circle 4 - 2480 mm (need 20)
Circle 5 - 3360 mm (need 20)

Sleeper





450x210x40mm
600x200x70mm
900x200x60mm

Pansy Shell



400mm

Feet Paver | Left and Right Foot



600mm

Tree Ring






Small - 280 mm
Medium - 370 mm
Large - 540 mm

Tree Stump Paver



400mm

Breeze Block	Breeze Block Grid	Grass Block
		
300x300x85mm	300x300x85mm	600x400x100mm

SURFACE FINISHES AVAILABLE

Refer to our Surface Finishes pages for easy visual reference, or click here to visit our website

CLICK HERE

Standard Colours

1.Charcoal
2.White
3.Terracotta
4.Granite
5.Sandstone
6.Grotto Beach
7.Natural Grey Stone
8.White Charcoal
9.White Sandstone
10.Oatmeal
11.Black



PROJECTS FEATURING CAPESTONE LANDSCAPING PRODUCTS

To view more project installations where our Landscaping products have been used, visit our website by clicking on the button.

CLICK HERE





DISTINCTIVE HAND-CAST CONCRETE PRODUCTS

PROUD SUPPLIER PARTNERSHIPS

PPC

chryso SAINT-GOBAIN

AFRIMAT®

LOCATION AND CONTACT

We supply directly to both the public and the building industry, supported by an established distribution network that ensures reliable, on-time delivery throughout Hermanus, the Overstrand, and the wider Western Cape.

Visitors are welcome at our showroom, where homeowners, contractors, landscapers, and architects can explore our product ranges and discuss project requirements.

Opening times

Monday to Thursday: 8am to 5pm
Fridays: 8am to 3pm
Saturdays: Appointments only

Contact

028 312 2390 | 028 312 2331
info@capestone.co.za

Whatsapp Us!
077 357 6453

Address

7 Argon Street, Sandbaai,
Hermanus

capestone.co.za